

SISF Nr	Typ	Taxon	SISF Nr	Typ	Taxon
100	Q	Abies alba Mill.	16200	K	impexa Buser
150	K	Abutilon theophrasti Medik.	16100	K	hybrida aggr.
900100	K	Acanthus mollis L.	14200	K	flabellata Buser
		Acer	15990	K	hybrida L.
300	Q	campestre L.	17200	K	mollis (Buser) Rothm.
500	K	negundo L.	21100	Q	vulgaris L. aggr. sensu Heitz
700	Q	platanoides L.	17300	K	monticola Opiz
800	Q	pseudoplatanus L.	21300	Q	xanthochlora Rothm.
900	K*	Aceras anthropophorum (L.) W. T. Aiton	21600	K	Aldrovanda vesiculosa L.
		Achillea			Alisma
900103	K	filipendulina Lam.	21700	K	gramineum Lej.
1705	Q	millefolium Ph(fl) aggr.	21800	K	lanceolatum With.
1701	Q	millefolium L. s.str.	21900	Q	plantago-aquatica L.
2300	K	roseoalba Ehrend.	22100	Q	Alliaria petiolata (M. Bieb.) Cavara & Grande
2000	K	nobilis L.			Allium
2200	K	ptarmica L.	22200	K	angulosum L.
2700	K	Achnatherum calamagrostis (L.) P. Beauv.	22350	K	carinatum L. s.l.
2900	K	Acinos arvensis (Lam.) Dandy	22400	K	carinatum L. s.str.
		Aconitum	22500	K	carinatum subsp. pulchellum Bonnier & Layens
3600	K	napellus aggr. auct. helv.	22600	Q	cepa L.
3300	K	compactum (Rchb.) Gáyer	23100	K	lusitanicum Lam.
3800	K	neomontanum Wulfen	23600	Q	oleraceum L.
4895	Q	vulparia auct. helv. aggr.	23750	K	paradoxum (M. Bieb.) G. Don
3000	K	altissimum Mill.	23800	Q	porrum L.
5000	K	x platanifolium Degen & Gáyer	24100	Q	sativum L.
5100	K	Acorus calamus L.	24200	K	schoenoprasum L.
5200	Q	Actaea spicata L.	24300	K	scorodoprasum L.
		Adenostyles	24500	K	sphaerocephalon L.
5400	Q	alliariae (Gouan) A. Kern.	24800	Q	ursinum L.
5500	K	glabra (Mill.) DC.	24900	K	victoralis L.
		Adonis	25000	Q	vineale L.
5800	K*	aestivalis L.			Alnus
5900	K*	annua L.	25200	Q	glutinosa (L.) Gaertn.
6100	K*	flammea Jacq.	25300	Q	incana (L.) Moench
6300	K	Adoxa moschatellina L.	25400	K	viridis (Chaix) DC.
6800	Q	Aegopodium podagraria L.			Alopecurus
6900	Q	Aesculus hippocastanum L.	25500	K*	aequalis Sobol.
		Aethusa	25700	K*	geniculatus L.
900104	K	cynapioides M. Bieb.	25900	Q	mysuroides Huds.
7200	Q	cynapium L.	26000	Q	pratensis L.
		Agrimonia			Althaea
7400	Q	eupatoria L.	26300	K*	hirsuta L.
7600	K	procera Wallr.	26400	Q	officinalis L.
8200	K	Agrostemma githago L.			Alyssum
		Agrostis	26800	K	alyssoides (L.) L.
8500	Q	canina L.	26900	K	argenteum All.
8600	Q	capillaris L.	27200	K	montanum L.
	Q	stolonifera FloZ-Aggregat	27400	K	simplex Rudolphi
8700	Q	gigantea Roth			Amaranthus
9300	Q	stolonifera L.	27500	K	albus L.
9500	N	Ailanthus altissima (Mill.) Swingle	27600	Q	blitum L.
9700	K*	Aira caryophyllea L.	27800	K	caudatus L.
		Ajuga	28100	K	deflexus L.
10100	K*	chamaepitys (L.) Schreb.	900323	K	emarginatus Moq. ex Ul. & Bray
	Q	Ajuga reptans FloZ-Aggregat	28200	K	graecizans L.
10200	Q	genevensis L.	28400	Q	hybridus auct. helv. aggr.
10400	Q	reptans L.	27700	K	bouchonii Thell.
10500	Q	Alcea rosea L.	27900	K	cruentus L.
		Alchemilla	28500	K	hypochondriacus L.
12100	K	conjuncta aggr.	900208	K	powellii S. Watson
11900	K	conjuncta Bab.	28900	Q	retroflexus L.
17500	K	nitida Buser	29000	N	Ambrosia artemisiifolia L.
12400	K	coriacea Buser			Amelanchier
15000	Q	glabra aggr.	900112	K	lamarckii F. G. Schroed.
14900	K	glabra Neygenf.			

SISF Nr	Typ	Taxon	SISF Nr	Typ	Taxon
29300	K	ovalis Medik.	39400	K	alpina L. s.str.
		Ammi	39500	K	alpina subsp. caucasica (Willd.) Briq.
29400	K	majus L.	40200	K	ciliata Clairv.
900317	K	visnaga (L.) Lam.	40605	Q	hirsuta aggr.
29500	K	Amorpha fruticosa L.	40600	Q	hirsuta (L.) Scop.
29600	K	Anacamptis pyramidalis (L.) Rich.	41000	K*	nemorensis (Hoffm.) W. D. J. Koch
		Anagallis	42100	K	turrita L.
29700	Q	arvensis L.			Arctium
29900	K*	foemina Mill.	42200	Q	lappa L.
30000	K*	minima (L.) E. H. L. Krause	42300	K	minus Bernh. s.l.
		Anchusa	42400	K	minus Bernh. s.str.
30300	K*	arvensis (L.) M. Bieb.	42500	K	minus subsp. pubens (Bab.) Arenes
30600	Q	italica Retz.	42600	K	nemorosum Lej.
30800	K	officinalis L.	42800	K	tomentosum Mill.
31000	K	Andromeda polifolia L.	43100	K*	Arctostaphylos uva-ursi (L.) Spreng.
		Anemone	43200	K	Aremonia agrimonoides (L.) DC.
900115	K	blanda Schott & Kotschy			Arenaria
900221	K	japonica Siebold & Zucc.	44305	Q	serpyllifolia aggr.
33600	Q	nemorosa L.	44000	K	leptoclados (Rchb.) Guss.
33700	K	ranunculoides L.	44300	Q	serpyllifolia L.
33900	K	Anethum graveolens L.	44600	K	Aristolochia clematitis L.
34100	Q	Angelica sylvestris L.	45600	Q	Armoracia rusticana P. Gaertn. & al.
34400	K	Antennaria dioica (L.) Gaertn.	45700	K*	Arnica montana L.
		Anthemis	45800	K*	Arnoseric minima (L.) Schweigg. & Körte
34500	K	altissima L.	45900	Q	Arrhenatherum elatius (L.) J. & C. Presl
34600	K	arvensis L.			Artemisia
34700	K	austriaca Jacq.	46100	Q	absinthium L.
34800	K*	cotula L.	46300	K	annua L.
34900	K	tinctoria L.	46450	K	biennis Willd.
		Anthericum	46700	K	campestris L.
35100	K	liliago L.	46900	Q	dracunculus L.
35200	K	ramosum L.	47900	Q	verlotiorum Lamotte
		Anthoxanthum	48000	Q	vulgaris L.
35500	Q	odoratum aggr.			Arum
35300	K	alpinum Å. & D. Löve	48100	K	italicum Mill.
35400	Q	odoratum L.	48200	Q	maculatum L.
		Anthriscus	48300	Q	Aruncus dioicus (Walter) Fernald
35600	K*	caucalis M. Bieb.	48700	K	Asarum europaeum L.
35700	K	cerefolium (L.) Hoffm.	48800	K	Asclepias syriaca L.
35800	K	nitida (Wahlenb.) Hazsl.	48900	K	Asparagus officinalis L.
35900	Q	sylvestris (L.) Hoffm.	49100	K	Asperugo procumbens L.
		Anthyllis			Asperula
36790	Q	vulneraria L. s.l.	49300	K*	arvensis L.
36800	Q	vulneraria L. s.str.	49400	Q	cynanchica L.
36900	K	vulneraria subsp. alpestris (Schult.) Asch. & Graebn.	49600	K	taurina L.
			49700	K	tinctoria L.
37000	Q	vulneraria subsp. carpatica (Pant.) Nyman			Asplenium
37600	Q	Antirrhinum majus L.	49900	K	adiantum-nigrum L.
		Apera	50500	K	fontanum (L.) Bernh.
37800	K*	interrupta (L.) P. Beauv.	50900	Q	ruta-muraria L.
37900	Q	spica-venti (L.) P. Beauv.	51200	K	septentrionale (L.) Hoffm.
		Aphanes	51400	Q	trichomanes L.
38000	K	arvensis L.	51500	Q	viride Huds.
38050	K	australis Rydb.			Aster
		Apium	51900	Q	amellus L.
38400	Q	graveolens L.	52000	K	bellidiastrum (L.) Scop.
38600	K*	repens (Jacq.) Lag.	52100	K	lanceolatus Willd.
		Aquilegia	52200	K	linosyris (L.) Bernh.
		sp.	52300	K	novae-angliae L.
38900	Q	atrata W. D. J. Koch	52400	K	novi-belgii L.
39100	Q	vulgaris L.	52700	K	tradescantii L.
39200	Q	Arabidopsis thaliana (L.) Heynh.	52600	K	x salignus Willd.
		Arabis	52800	K	x versicolor Willd.
39350	Q	alpina L. s.l.	54000	Q	Astragalus glycyphyllos L.
			55200	K	Astrantia major L.

SISF Nr	Typ	Taxon	SISF Nr	Typ	Taxon
		Athyrium	64200	Q	sylvaticum (Huds.) P. Beauv.
55600	K	distentifolium Opiz			Brassica
55700	Q	filix-femina (L.) Roth	64300	K	junceae (L.) Czern.
		Atriplex	64400	Q	napus L.
56200	K	oblongifolia Waldst. & Kit.	64500	K	nigra (L.) W. D. J. Koch
56300	Q	patula L.	64600	K	oleracea L.
56400	K	prostrata DC.	64700	K	rapa L.
56500	Q	Atropa bella-donna L.	65200	Q	Briza media L.
56600	K	Aubrieta deltoidea (L.) DC.			Bromus
900010	K	Aucuba japonica Thunb.	65300	K	arvensis L.
56700	Q	Aurinia saxatilis (L.) Desv.	65400	Q	benekenii (Lange) Trimen
		Avena	900119	K	carinatus Hook. & Arn.
56750	K	barbata Link	65500	K	commutatus Schrad.
56900	Q	fatua L.	65695	Q	erectus Huds. s.l.
57050	Q	sativa L. s.l.	65700	Q	erectus Huds. s.str.
57100	Q	sativa L. s.str.	65900	K*	grossus DC.
57200	Q	sativa subsp.orientalis (Schreb.) H. Werner	66000	Q	hordeaceus L.
57400	Q	Avenella flexuosa (L.) Drejer	66100	Q	inermis Leys.
		Ballota	66200	K	japonicus Thunb.
57995	K	nigra L. s.l.	66300	K	lepidus Holmb.
58000	K	nigra L. s. str.	66400	K	madritensis L.
58150	K	nigra subsp. meridionalis (Bég.) Bég.	66800	Q	ramosus Huds.
		Barbarea	66900	K	rigidus Roth
58300	K	intermedia Boreau	67000	Q	secalinus L.
58500	K	verna (Mill.) Asch.	67100	Q	squarrosus L.
58600	Q	vulgaris R. Br.	67200	Q	sterilis L.
58700	K	Bartsia alpina L.	67300	K	tectorum L.
59100	Q	Bellis perennis L.	67450	K	Brunnera macrophylla (Adams) I. M. Johnst.
		Berberis	67600	K	Bryonia dioica Jacq.
900117	K	julianae C. K. Schneid.	67700	Q	Buddleja davidii Franch.
59160	K	thunbergii DC.			Buglossoides
59200	Q	vulgaris L.	67900	K*	arvensis (L.) I. M. Johnst.
59300	K	Bergenia crassifolia (L.) Fritsch	68000	K	purpureocaerulea (L.) I. M. Johnst.
59400	K*	Berteroa incana (L.) DC.	68300	K	Bunias orientalis L.
59500	K	Berula erecta (Huds.) Coville	68400	K*	Bunium bulbocastanum L.
59600	K	Beta vulgaris L.	68600	K	Bupthalmum salicifolium L.
		Betula			Bupleurum
60300	K	nana L.	69600	K	longifolium L.
60400	Q	pendula Roth	70200	K*	rotundifolium L.
60500	Q	pubescens Ehrh.	70400	K	Butomus umbellatus L.
		Bidens	70500	K	Buxus sempervirens L.
60800	K	cernua L.			Calamagrostis
60900	K	connata Willd.	70600	K	arundinacea (L.) Roth
61100	K	frondosa L.	70700	K	canescens (F. H. Wigg.) Roth
61200	K*	radiata Thuill.	70800	Q	epigejos (L.) Roth
61350	K	tripartita L. s.l.	71200	K	pseudophragmites (Haller f.) Koeler
61400	K	tripartita L. s.str.	71400	Q	varia (Schrad.) Host
61600	K*	Bifora radians M. Bieb.	71500	K	villosa (Chaix) J. F. Gmel.
62000	K	Biscutella laevigata L.			Calamintha
		Blackstonia	72000	K	nepeta aggr.
62300	K	acuminata (W. D. J. Koch & Ziz) Domin	71600	K	ascendens Jord.
62400	K	perfoliata (L.) Huds.	71900	K	mentifolia Host
62500	Q	Blechnum spicant (L.) Roth	71950	K	nepeta (L.) Savi
62800	K	Blysmus compressus (L.) Link	72100	K	nepetoides Jord.
62900	K	Bolboschoenus maritimus (L.) Palla	72300	K	Caldesia parnassifolia (L.) Parl.
63000	Q	Borago officinalis L.			Calendula
63100	K	Bothriochloa ischaemum (L.) Keng	72400	K*	arvensis L.
		Botrychium	72500	K	officinalis L.
63200	K	lanceolatum (S. G. Gmel.) Ångstr.	72600	K*	Calepina irregularis (Asso) Thell.
63300	K	lunaria (L.) Sw.	72700	K	Calla palustris L.
		Brachypodium	72900	K	Callistephus chinensis (L.) Nees
63900	Q	pinnatum (L.) P. Beauv.			Callitriche
64100	K	rupestris (Host) Roem. & Schult.	73000	K	cophocarpa Sendtn.
			73300	K	palustris L.
			73400	K	platycarpa Kütz.

SISF Nr	Typ	Taxon	SISF Nr	Typ	Taxon
73500	K	stagnalis Scop.	81595	K	defloratus L. s.l.
73600	Q	Calluna vulgaris (L.) Hull	81600	K	defloratus L. s.str.
73700	Q	Caltha palustris L.	82100	K	nutans L. s.l.
73900	Q	Calystegia sepium (L.) R. Br.	82200	K	nutans L. s.str.
		Camelina	82300	K	nutans subsp. platylepis (Rchb. & Saut.) Nyman
74100	K*	alyssum (Mill.) Thell.	82400	K	personata (L.) Jacq.
74200	K	microcarpa DC.			Carex
74400	K*	sativa (L.) Crantz	82850	K	acuta L.
		Campanula	83000	Q	acutiformis Ehrh.
900123	K	alliariifolia Willd.	83100	Q	alba Scop.
74700	K	barbata L.	83200	Q	appropinquata Schumach.
900124	K	carpatica Jacq.	84100	K	brachystachys Schrank
75100	K*	cervicaria L.	84300	K	brizoides L.
75200	Q	cochleariifolia Lam.	84500	K	buxbaumii Wahlenb.
900125	K	garganica Ten.	84600	K	canescens L.
75700	Q	glomerata L. s.l.	84900	Q	caryophyllea Latourr.
75800	K	glomerata L. s.str.	85100	K	chordorrhiza L. f.
75900	K	glomerata subsp. farinosa (Andrz.) Kir- schl.	85700	Q	davalliana Sm.
76100	K	medium L.	86000	K	diandra Schrank
76200	Q	patula L. s.l.	86100	Q	digitata L.
76300	Q	patula L. s.str.	86200	K	dioica L.
76400	K	patula subsp. costae (Willk.) Nyman	86300	Q	distans L.
76500	Q	persicifolia L.	86400	Q	disticha Huds.
900126	K	portenschlagiana Schultes	86700	K	echinata Murray
900127	K	poscharskyana Degen	86800	Q	elata All.
900128	K	pyramidalis L.	87000	K	elongata L.
76800	Q	rapunculoides L.	87100	K	ericetorum Pollich
76900	Q	rapunculus L.	87200	K	ferruginea Scop.
77000	K	rhomboidalis L.	87500	Q	flacca Schreb.
77100	Q	rotundifolia L.	87605	Q	flava aggr.
77200	K	scheuchzeri Vill.	85800	K	demissa Hornem.
77600	Q	trachelium L.	87600	Q	flava L.
77700	Q	Cannabis sativa L.	89400	Q	lepidocarpa Tausch
		Capsella	95400	Q	viridula Michx.
77900	Q	bursa-pastoris (L.) Medik.	900015	K	grayi Carey
78000	K	rubella Reut.	88400	K	hartmanii Cajander
78100	K	Capsicum annuum L.	88500	K*	heleonastes L. f.
		Cardamine	88600	Q	hirta L.
78300	Q	amara L.	88700	Q	hostiana DC.
78500	K	bulbifera (L.) Crantz	88800	Q	humilis Leyss.
78700	Q	flexuosa With.	89200	Q	lasiocarpa Ehrh.
78800	K	heptaphylla (Vill.) O. E. Schulz	89500	Q	leporina L.
78900	Q	hirsuta L.	89600	K	limosa L.
79000	Q	impatiens L.	90300	Q	montana L.
79100	K	kitaibelii Bech.	90500	Q	muricata L. aggr.
79600	K	pentaphyllos (L.) Crantz	86500	K	divulsa Stokes
79950	Q	pratensis L. aggr. sensu K. Lauber & G. Wagner	88260	K	guestphalica O. Lang
78550	K	dentata Schult.	91500	Q	pairae F. W. Schultz
79300	K	nemorosa Lej.	94200	Q	spicata Huds.
79800	Q	pratensis L.	90700	Q	nigra (L.) Reichard
80400	K	rivularis Schur	91200	Q	ornithopoda Willd.
80600	K	udicola Jord.	91400	K	otrubae Podp.
80500	K	trifolia L.	91600	Q	pallescens L.
		Cardaminopsis	91700	Q	panicea L.
80695	K	arenosa (L.) Hayek s.l.	91800	Q	paniculata L.
80700	K	arenosa (L.) Hayek s.str.	92100	K*	pauciflora Lightf.
80800	K	arenosa subsp. borbasii (Zapal.) H. Scholz	92300	Q	pendula Huds.
81100	Q	Cardaria draba (L.) Desv.	92400	Q	pilosa Scop.
		Carduus	92500	Q	pilulifera L.
81200	K	acanthoides L.	92600	K	praecox Schreb. s.l.
81500	K	crispus L.	92700	K	praecox Schreb. s.str..
			92900	K	pseudocyperus L.
			93100	K	pulicaris L.
			93300	Q	remota L.

SISF Nr	Typ	Taxon	SISF Nr	Typ	Taxon				
93500	K	riparia Curtis	104700	K	pumilum Curtis				
93700	Q	rostrata Stokes	104800	Q	semidecandrum L.				
93900	K	sempervirens Vill.	105200	K	tomentosum L.				
94500	K	strigosa Huds.			Ceratophyllum				
94700	Q	sylvatica Huds.	105500	K	demersum L.				
94800	Q	tomentosa L.	105600	K	submersum L.				
95000	Q	umbrosa Host	106000	K	Ceterach officinarum Willd.				
95300	Q	vesicaria L.	900131	K	Chaenomeles japonica (Thunb.) Lindley ex Spach				
95500	K	vulpina L.			106100	Q	Chaenorrhinum minus (L.) Lange		
95600	K	vulpinoidea Michx.					Chaerophyllum		
		Carlina					106200	Q	aureum L.
95800	K	acaulis L. s.l.	106300	K	bulbosum L.				
95900	K	acaulis L. s.str.	106705	Q	hirsutum aggr.				
96000	K	acaulis subsp. caulescens (Lam.) Schübl. & G. Martens	106700	Q	hirsutum L.				
96600	Q	vulgaris aggr.	107100	K	villarsii W. D. J. Koch				
96200	K	biebersteinii Hornem. s.str.	107000	K	temulum L.				
96250	K	biebersteinii subsp. brevibracteata (Andrae) K. Werner	107150	K	Chamaecyparis lawsoniana (A. Murray bis) Parl.				
96500	K	vulgaris L.	108200	Q	Chelidonium majus L.				
96900	Q	Carpinus betulus L.					Chenopodium		
97100	K	Carum carvi L.	108300	Q	album L.				
97200	K	Castanea sativa Mill.	108400	K	berlandieri subsp. zschackei (Murr) Zobel				
97300	K*	Catabrosa aquatica (L.) P. Beauv.	108500	K	bonus-henricus L.				
900129	K	Catalpa bignonioides Walter	108600	K*	botrys L.				
97400	K	Catananche caerulea L.	108900	K	ficifolium Sm.				
97500	K	Catapodium rigidum (L.) C. E. Hubb.	109100	K	glaucum L.				
97700	K*	Caucalis platycarpus L.	109200	K	hircinum Schrad.				
		Centaurea	109300	K	hybridum L.				
98500	K*	cyanus L.	109400	K*	murale L.				
98750	Q	jacea L. s.l.	109500	K*	opulifolium Schrad.				
98800	Q	jacea L. s.str.	109600	Q	polyspermum L.				
98900	Q	jacea subsp. angustifolia Gremli	109700	K	pratericola Rydb.				
99200	K	montana L.	109800	K	rubrum L.				
99300	K	nemoralis Jord.	109900	K	strictum Roth				
99600	K	nigrescens Willd.	110000	K	urbicum L.				
99100	K	maculosa Lam.	110100	K	vulvaria L.				
100650	K	stoebe L.	110200	K*	Chimaphila umbellata (L.) W. P. C. Barton				
99995	Q	scabiosa L. s.l.					Chionodoxa		
100000	Q	scabiosa L. s.str.	900016	K	forbesii Baker				
100100	K	scabiosa subsp. alpestris (Hegetschw.) Nyman	110260	K	luciliae Boiss.				
			110400	K*	Chondrilla juncea L.				
100200	K	scabiosa subsp. grinensis (Reut.) Nyman	900134	K	Chrysanthemum maximum Ramond				
100500	K	solstitialis L.					Chrysosplenium		
		Centaureum	112500	Q	alternifolium L.				
101200	Q	erythraea Rafn	112600	K	oppositifolium L.				
101300	K	pulchellum (Sw.) Druce					Cicerbita		
101600	K	Centranthus ruber (L.) DC.	112800	K	alpina (L.) Wallr.				
		Cephalanthera	112900	K	macrophylla (Willd.) Wallr.				
101800	Q	damasonium (Mill.) Druce					Cichorium		
101900	Q	longifolia (L.) Fritsch	113100	Q	endivia L.				
102000	K	rubra (L.) Rich.	113200	Q	intybus L.				
		Cerastium	113300	K	Cicuta virosa L.				
102595	Q	arvense L. s.l.					Circaea		
102600	K	arvense L. s.str.	113400	K	alpina L.				
102700	K	arvense subsp. strictum (W. D. J. Koch) Schinz & R. Keller	113500	Q	lutetiana L.				
			113600	K	x intermedia Ehrh.				
102950	Q	brachypetalum Pers. s.l.					Cirsium		
103000	K	brachypetalum Pers. s.str.	113700	K	acaule Scop.				
103595	Q	fontanum Baumg. s.l.	113800	Q	arvense (L.) Scop.				
103700	K	fontanum subsp. lucorum (Schur) Soó	114000	K	eriphorum (L.) Scop. s.l.				
103800	Q	fontanum subsp. vulgare (Hartm.) Greuter & Burdet	114100	K	eriphorum (L.) Scop. s.str.				
103900	Q	glomeratum Thuill.	114800	Q	oleraceum (L.) Scop.				
104000	K	glutinosum Fr.	114900	Q	palustre (L.) Scop.				
			115100	K	rivulare (Jacq.) All.				

SISF Nr	Typ	Taxon	SISF Nr	Typ	Taxon
115300	K	spinosissimum (L.) Scop.	124300	Q	paludosa (L.) Moench
115400	K	tuberosum (L.) All.	124500	K	praemorsa (L.) Walther
115500	Q	vulgare (Savi) Ten.	124600	K	pulchra L.
115700	Q	Cladium mariscus (L.) Pohl	124800	K	pyrenaica (L.) Greuter
115800	K	Claytonia perfoliata Willd.	125200	K	setosa Haller f.
116400	Q	Clematis vitalba L.	125400	K*	tectorum L.
116600	Q	Clinopodium vulgare L.	125550	Q	vesicaria L. s.l.
900137	K	Cochlearia danica L.	125600	K	vesicaria L. s.str.
117200	K	Coeloglossum viride (L.) Hartm.	125700	Q	vesicaria subsp. taraxacifolia (Thuill.) Thell.
117300	K	Coincya cheiranthos (Vill.) Greuter & Burdet s.str.			Crocus
117700	Q	Colchicum autumnale L.	125800	K	albiflorus Kit.
118100	K	Colutea arborescens L.	126050	Q	tommasinianus Herb.
118300	K	Commelina communis L.	126300	Q	Cruciata laevipes Opiz
118400	K	Conium maculatum L.	126900	Q	Cucumis sativus L.
118500	K*	Conringia orientalis (L.) Dumort.			Cucurbita
		Consolida	127000	Q	maxima Duchesne
118600	K	ajacis (L.) Schur	127100	Q	pepo L.
118700	K*	regalis Gray			Cuscuta
118800	Q	Convallaria majalis L.	127700	K*	epilinum Weihe
118900	Q	Convolvulus arvensis L.	127800	K	epithymum (L.) L.
		Conyza	127900	K	europaea L.
900138	K	bonariensis (L.) Cronquist			Cyclamen
119300	Q	canadensis (L.) Cronquist	900022	K	coum Mill.
900139	K	sumatrensis (Retz.) E. Walker	128100	K	hederifolium Aiton
119400	K*	Corallorhiza trifida Châtel.	128400	K	purpurascens Mill.
		Cornus	128500	Q	Cydonia oblonga Mill.
900140	K	alba L.	128600	Q	Cymbalaria muralis P. Gaertn. & al.
119600	K	mas L.	129000	K	Cynodon dactylon (L.) Pers.
119700	Q	sanguinea L.	129300	K	Cynoglossum officinale L.
119800	K	sericea L.			Cynosurus
		Coronilla	129400	Q	cristatus L.
120000	K	coronata L.	129500	K	echinatus L.
120400	K	vaginalis Lam.			Cyperus
		Coronopus	129660	K*	esculentus L.
120600	K*	didymus (L.) Sm.	129700	K*	flavescens L.
120800	K*	squamatus (Forssk.) Asch.	129800	K	fuscus L.
		Corydalis	130000	K	longus L.
121050	K	alba (Mill.) Mansf.	130400	K	Cypripedium calceolus L.
121100	Q	cava (L.) Schweigg. & Körte	900025	K*	Cyrtomium fortunei J. Sm.
121300	K	lutea (L.) DC.			Cystopteris
121500	K*	solida (L.) Clairv.	130500	K	alpina (Lam.) Desv.
121600	Q	Corylus avellana L.	130700	Q	fragilis (L.) Bernh.
121700	K	Cotinus coggygria Scop.	130800	K	montana (Lam.) Desv.
		Cotoneaster			Cytisus
121750	K	bullatus Bois	131300	K	nigricans L.
121760	K	dammeri C. K. Schneid.	131500	K	scoparius (L.) Link
900141	K	dielsianus Pritzelt ex Diels			Dactylis
121770	K	divaricatus Rehder & E. H. Wilson	131800	Q	glomerata L.
121780	K	horizontalis Decne.	132000	K	polygama Horv.
121800	K	integerrimus Medik.			Dactylorhiza
900142	K	integrifolius (Roxb.) Klotz	132300	Q	incarnata (L.) Soó s.l.
121950	K	salicifolius Franch.	132350	Q	incarnata (L.) Soó s.str.
122000	K	tomentosus Lindl.	132360	K	incarnata subsp. ochroleuca (Boll) P. F. Hunt & Summerh.
		Crataegus	132500	K	lapponica (Hartm.) Soó
122200	Q	laevigata (Poir.) DC.	132650	Q	maculata aggr.
122400	Q	monogyna Jacq.	132250	Q	fuchsii (Druce) Soó
		Crepis	132600	Q	maculata (L.) Soó
122900	K	alpestris (Jacq.) Tausch	132700	Q	majalis (Rchb.) P. F. Hunt & Summerh.
123000	K	aurea (L.) Cass.	132900	K	traunsteineri (Rchb.) Soó
123100	Q	biennis L.	133100	K	Danthonia decumbens (L.) DC.
123400	Q	capillaris Wallr.			Daphne
123500	K	conyzifolia (Gouan) A. Kern.	133400	K	cneorum L.
123600	K	foetida L.	133500	K	laureola L.
124200	K	nicaeensis Pers.			

SISF Nr	Typ	Taxon	SISF Nr	Typ	Taxon
133600	Q	mezereum L.	145700	Q	palustris (L.) Roem. & Schult.
133800	K	Datura stramonium L.	146000	K	uniglumis (Link) Schult.
133900	Q	Daucus carota L.	145900	K	quinqueflora (Hartmann) O. Schwarz
		Deschampsia	146100	K	Eleusine indica (L.) Gaertn.
134800	Q	cespitosa (L.) P. Beauv.			Elodea
135000	K	littoralis (Gaudin) Reut.	146200	K	canadensis Michx.
135200	K	Descurainia sophia (L.) Prantl	146400	K	nuttallii (Planch.) H. St. John
900143	K	Deutzia scabra Thunb.			Elymus
		Dianthus	146450	K	athericus (Link) Kerguélen
135300	K	armeria L.	146460	Q	caninus (L.) L.
135400	K	barbatus L.	146550	K	hispidus (Opiz) Melderis
135500	K	carthusianorum L. s.l.	146560	Q	repens (L.) Gould
135600	Q	carthusianorum L. s.str.			Epilobium
135800	K	caryophyllus L.	147300	K	alpestre (Jacq.) Krock.
135900	K*	deltoides L.	147500	K	alsinifolium Vill.
900144	K	giganteus d'Urv.	147700	Q	angustifolium L.
136100	K	gratianopolitanus Vill.	147800	K	ciliatum Raf.
136600	K	plumarius L.	147900	Q	collinum C. C. Gmel.
136700	K	seguieri Vill.	148000	K	dodonaei Vill.
136800	Q	superbus L.	148200	K*	fleischeri Hochst.
136900	K	sylvestris Wulfen	148300	Q	hirsutum L.
137000	K	Dictamnus albus L.	148500	K	lanceolatum Sebast. & Mauri
		Digitalis	148600	Q	montanum L.
137100	K	grandiflora Mill.	148800	Q	obscurum Schreb.
137300	K	lutea L.	148900	Q	palustre L.
137400	K	purpurea L.	149000	Q	parviflorum Schreb.
		Digitaria	149100	Q	roseum Schreb.
137500	Q	ischaemum (Schreb.) Muhl.	149195	Q	tetragonum L. s.l.
137600	Q	sanguinalis (L.) Scop.	149200	Q	tetragonum L. s.str.
137900	K*	Diphasiastrum complanatum (L.) Holub	149300	K	tetragonum subsp. lamyi (F. W. Schultz)
		Diploxaxis			Nyman
138800	K	erucoides (L.) DC.			Epimedium
138900	K	muralis (L.) DC.	149400	K	alpinum L.
139000	K	tenuifolia (L.) DC.	900147	K	pinnatum Fisch.
		Dipsacus			Epipactis
139200	Q	fullonum L.	149600	K	atorubens Besser
139300	K	laciniatus L.	149800	Q	helleborine aggr.
139400	K	pilosus L.	149660	Q	helleborine (L.) Crantz
140100	K	Doronicum pardalianches L.	150000	K	leptochila (Godfery) Godfery
141200	K	Draba muralis L.	150150	K	muelleri Godfery
		Drosera	150100	K*	microphylla (Ehrh.) Sw.
142000	K	anglica Huds.	900300	K	neglecta (Kümpel) Kümpel
142100	K*	intermedia Hayne	150300	Q	palustris (L.) Crantz
142300	K	rotundifolia L.	150470	K	viridiflora Krock.
142400	K	x obovata Mert. & W. D. J. Koch	150500	K*	Epipogium aphyllum Sw.
142500	K	Dryas octopetala L.			Equisetum
		Dryopteris	150600	Q	arvense L.
142600	Q	affinis (Lowe) Fraser-Jenk.	150700	Q	fluviale L.
143100	Q	carthusiana (Vill.) H. P. Fuchs	150800	Q	hyemale L.
143200	K	cristata (L.) A. Gray	151100	Q	palustre L.
	Q	dilatata FloZ-Aggregat	151200	K*	pratense Ehrh.
143300	Q	dilatata (Hoffm.) A. Gray	151300	K*	ramosissimum Desf.
143400	K	expansa (C. Presl) Fraser-Jenk. & Jermy	151400	Q	sylvaticum L.
143500	Q	filix-mas (L.) Schott	151500	Q	telmateia Ehrh.
143700	K	remota (Döll) Druce	151600	K*	variegatum Schleich.
144000	K	Duchesnea indica (Andrews) Focke	151700	K	x trachyodon A. Braun
144100	Q	Echinochloa crus-galli (L.) P. Beauv.			Eragrostis
144300	K	Echinops sphaerocephalus L.	151800	K	cilianensis (All.) Janch.
144500	Q	Echium vulgare L.	900303	K	mexicana (Hornem.) Link
		Eleocharis	152000	Q	minor Host
145000	K*	acicularis (L.) Roem. & Schult.	152050	K	multicaulis Steud.
145600	K	ovata (Roth) Roem. & Schult.	152100	K	pilosa (L.) P. Beauv.
145705	Q	palustris aggr.	152200	Q	Eranthis hyemalis (L.) Salisb.
145200	K	austriaca Hayek	152400	K*	Erica carnea L.
145400	K	mamillata H. Lindb.			Erigeron

SISF Nr	Typ	Taxon	SISF Nr	Typ	Taxon
152800	Q	acer L. s.l.			Fallopia
152900	Q	acer L. s.str.	165150	K	aubertii (L. Henry) Holub
153000	K	acer subsp. angulosus (Gaudin) Vacc.	165200	Q	convolvulus (L.) Á. Löve
153100	K	acer subsp. politus (Fr.) H. Lindb.	165300	K	dumetorum (L.) Holub
153600	K	alpinus L.			Festuca
153800	Q	annuus (L.) Desf. s.l.	165800	Q	altissima All.
153900	Q	annuus (L.) Desf. s.str.	165900	K	amethystina L.
154000	K	annuus subsp. septentrionalis (Fernald & Wiegand) Wagenitz	166100	Q	arundinacea Schreb. s.l.
154100	K	annuus subsp. strigosus (Willd.) Wagenitz	166200	Q	arundinacea Schreb. s.str.
154600	K	karvinskianus DC.	166550	Q	brevipila R. Tracey
155100	K	Erinus alpinus L.	167000	Q	duriuscula auct.
		Eriophorum	168600	Q	ovina aggr.
155200	Q	angustifolium Honck.	167250	K	filiformis Pourr.
155300	K*	gracile Roth	168500	Q	ovina L.
155400	Q	latifolium Hoppe	168800	K	pallens Host
155500	K	scheuchzeri Hoppe	167400	Q	gigantea (L.) Vill.
155600	K	vaginatum L.	167900	Q	heterophylla Lam.
156000	Q	Erodium cicutarium (L.) L'Hér.	169100	Q	pratensis Huds. s.l.
		Erophila	169200	Q	pratensis Huds. s.str.
156700	Q	verna aggr.	169600	K	pulchella Schrad. s.l.
156500	K	praecox (Steven) DC.	169700	K	pulchella Schrad. s.str.
156600	Q	verna (L.) DC.	170200	Q	rubra L. aggr.
156800	K	Eruca sativa Mill.	172100	K	violacea Gaudin aggr.
		Erucastrum	172200	K	Ficus carica L.
157000	K	gallicum (Willd.) O. E. Schulz			Filago
157100	K	nasturtifolium (Poir.) O. E. Schulz	172300	K*	arvensis L.
		Erysimum	172400	K*	gallica L.
157400	Q	cheiranthoides L.	172600	K*	lutescens Jord.
157500	Q	cheiri (L.) Crantz	172700	K*	minima (Sm.) Pers.
158400	K	repandum L.	172800	K*	pyramidata L.
158500	K	rhaeticum (Hornem.) DC.	172900	K*	vulgaris Lam.
900148	K	Eschscholzia californica Cham.			Filipendula
		Euonymus	173100	Q	ulmaria (L.) Maxim.
159000	Q	europaeus L.	173200	K	vulgaris Moench
159100	K	latifolius (L.) Mill.	173400	Q	Foeniculum vulgare Mill.
159300	Q	Eupatorium cannabinum L.			Forsythia
		Euphorbia	900150	Q	suspensa (Thunb.) Vahl
159400	Q	amygdaloides L.	173450	Q	x intermedia Zabel
159800	Q	cyparissias L.			Fragaria
159900	Q	dulcis L.	173700	K	moschata Duchesne
160000	Q	exigua L.	173800	Q	vesca L.
160100	K	falcata L.	173900	K	viridis Duchesne
160200	Q	helioscopia L.	900209	Q	x ananassa Duchesne
160300	K	humifusa Willd.	174000	Q	Frangula alnus Mill.
160400	Q	lathyrus L.			Fraxinus
160600	K	maculata L.	174200	Q	excelsior L.
160700	K	nutans Lag.	174300	K	ornus L.
160800	K	palustris L.	174700	K	Fumana procumbens (Dunal) Gren. & Godr.
160900	Q	peplus L.			Fumaria
161000	Q	platyphyllos L.	174800	K	capreolata L.
161100	K	prostrata Aiton	174900	Q	officinalis L. s.l.
161200	K*	segetalis L.	175000	Q	officinalis L. s.str.
161600	Q	stricta L.	175100	K	officinalis subsp. wirtgenii (W. D. J. Koch)
161800	Q	verrucosa L.			Arcang.
161900	K	virgata Waldst. & Kit.	175300	K*	schleicheri Soy.-Will.
		Euphrasia	175400	K*	vaillantii Loisel.
163600	Q	rostkoviana Hayne auct. helv.			Gagea
163900	K	salisburgensis Hoppe	175700	K	lutea (L.) Ker Gawl.
164000	K*	stricta J. F. Lehm.	175900	K	pratensis (Pers.) Dumort.
		Fagopyrum	176100	K	villosa (M. Bieb.) Sweet
164700	Q	esculentum Moench			Galanthus
164800	Q	tataricum (L.) Gaertn.	900151	Q	elwesii Hook f.
165000	Q	Fagus sylvatica L.	176200	Q	nivalis L.
165100	K	Falcaria vulgaris Bernh.	176300	K	Galega officinalis L.
					Galeopsis

SISF Nr	Typ	Taxon	SISF Nr	Typ	Taxon
176400	K	angustifolia Hoffm.	187995	K	phaeum L. s.l.
176500	K	bifida Boenn.	188000	K	phaeum L. s.str.
176600	K	ladanum L.	188300	K	pratense L.
176800	K	pubescens Besser	188500	Q	pusillum L.
177000	K	speciosa Mill.	188600	Q	pyrenaicum Burm. f.
177100	Q	tetrahit L.	188795	Q	robertianum L. s.l.
		Galinsoga	188800	Q	robertianum L. s.str.
177200	Q	ciliata (Raf.) S. F. Blake	188900	Q	robertianum subsp. purpureum (Vill.) Nyman
177300	Q	parviflora Cav.	189000	K	rotundifolium L.
		Galium	189100	Q	sanguineum L.
177500	K	anisophyllum Vill.	189300	K	sylvaticum L.
177600	Q	aparine L.			Geum
178000	K	boreale L.	189400	K	montanum L.
178300	K	glaucum L.	189600	Q	rivale L.
179000	Q	mollugo aggr.	189700	Q	urbanum L.
177400	Q	album Mill.			Gladiolus
178900	K	mollugo L.	189800	K*	communis L.
179300	Q	odoratum (L.) Scop.	190100	K	palustris Gaudin
		palustre FloZ-Aggregat	190300	K	Glaucium corniculatum (L.) Rudolph
178200	Q	elongatum C. Presl			Glechoma
179400	Q	palustre L.	190500	Q	hederacea L. s.l.
179500	K*	parisiense L.	190600	Q	hederacea L. subsp. hederacea
179700	Q	pumilum Murray	190700	K	hederacea subsp. hirsuta (Waldst. Et Kit.) Gams
179900	Q	rotundifolium L.			Globularia
180000	K	rubroides L.	190900	K	bisnagarica L.
180200	K	saxatile L.	191000	K	cordifolia L.
180300	K	spurium L.	191200	K	nudicaulis L.
180400	Q	sylvaticum L.			Glyceria
180500	K*	tricornutum Dandy	191500	Q	fluitans (L.) R. Br.
180700	Q	uliginosum L.	191600	K	maxima (Hartm.) Holmb.
180900	Q	verum L. s.l.	191700	Q	notata Chevall.
181000	Q	verum L. s.str.	191900	K	striata (Lam.) Hitchc.
181100	K	verum subsp. wirtgenii (F. W. Schultz) Oborny	192000	Q	Glycine max (L.) Merr.
900291	K	x pomeranicum Retz.			Gnaphalium
181300	K	Gaudinia fragilis (L.) P. Beauv.	192300	K*	luteoalbum L.
		Genista	192400	K	norvegicum Gunnerus
181600	K	germanica L.	192600	K	sylvaticum L.
181700	K	pilosa L.	192700	K	uliginosum L.
181900	K	sagittalis L.	192800	K	Goodyera repens (L.) R. Br.
182100	K	tinctoria L.	193000	K	Gratiola officinalis L.
		Gentiana	193100	Q	Groenlandia densa (L.) Fourr.
182200	K	acaulis L.	900154	K	Guizotia abyssinica (L. f.) Cass.
182700	K	asclepiadea L.			Gymnadenia
182800	K*	aspera Hegetschw.	193200	Q	conopsea (L.) R. Br.
183100	K	campestris L. s.l.	193300	K	odoratissima (L.) Rich.
183200	K*	campestris L. s.str.			Gymnocarpium
183400	K	ciliata L.	193400	Q	dryopteris (L.) Newman
183500	K	clusii E. P. Perrier & Sonjeon	193500	Q	robertianum (Hoffm.) Newman
183600	K	cruciata L.			Gypsophila
183800	K	germanica Willd. s.l.	193600	K*	muralis L.
183805	K	germanica Willd. s.str..	193800	K	repens L.
184100	K*	lutea L.	193900	K	Hammarbya paludosa (L.) Kuntze
184600	K	pneumonanthe L.	194000	Q	Hedera helix L.
184900	K	purpurea L.			Helianthemum
185300	K*	utriculosa L.	194895	Q	nummularium (L.) Mill. s.l.
185400	K*	verna L.	194900	K	nummularium (L.) Mill. s.str.
		Geranium	195100	K	nummularium subsp. grandiflorum (Scop.) Schinz & Thell.
187100	Q	columbinum L.	195200	Q	nummularium subsp. obscurum (Celak.) Holub
187200	Q	dissectum L.			Helianthus
187500	K	lucidum L.	195700	K	annuus L.
187600	K	macrorrhizum L.			
187700	Q	molle L.			
187800	K	nodosum L.			
187900	Q	palustre L.			

SISF Nr	Typ	Taxon	SISF Nr	Typ	Taxon
196050	K	pauciflorus Nutt.	206800	Q	lanatus L.
196100	K	tuberosus L.	206900	Q	mollis L.
		Helictotrichon	207200	K	Holosteum umbellatum L.
196700	K	pratense (L.) Besser	207300	K	Homogyne alpina (L.) Cass.
196800	Q	pubescens (Huds.) Pilg.	207400	Q	Hordelymus europaeus (L.) Harz
197200	K*	Heliotropium europaeum L.			Hordeum
		Helleborus	207500	K	distichon L.
197300	K	foetidus L.	207795	Q	murinum L. s.l.
197400	K	niger L.	207800	Q	murinum L. s.str.
197450	K	orientalis Lam.	207900	Q	murinum subsp. leporinum (Link) Arcang.
197500	K	viridis L.	208100	K	secalinum Schreb.
		Hemerocallis	208195	Q	vulgare L. s.l.
197700	K	fulva (L.) L.	208200	Q	vulgare L. s.str.
197800	K	lilio-asphodelus L.	208300	K	vulgare subsp. hexastichon (L.) Celak.
197900	Q	Hepatica nobilis Schreb.	208600	K	Hottonia palustris L.
		Heracleum	208800	Q	Humulus lupulus L.
198300	N	mantegazzianum Sommier & Levier	208900	K	Huperzia selago (L.) Schrank & Mart.
198595	Q	sphondylium L. s.l.			Hyacinthoides
198600	Q	sphondylium L. s.str.	900155	K	hispanica (Miller) Rothm.
198800	K	sphondylium subsp. elegans (Crantz) Schübl. & G. Martens	209250	K	non-scripta (L.) Rothm.
199100	K	Herminium monorchis (L.) R. Br.	209300	K	Hydrocharis morsus-ranae L.
		Herniaria	209400	K	Hydrocotyle vulgaris L.
199300	K	glabra L.	209700	K	Hyoscyamus niger L.
199400	K	hirsuta L.			Hypericum
199600	Q	Hesperis matronalis L.	209900	K	androsaemum L.
		Hibiscus	210000	K	calycinum L.
900315	K	syriacus L.	210500	Q	hirsutum L.
199750	K	trionum L.	210600	K	humifusum L.
		Hieracium	210695	Q	maculatum Crantz s.l.
200000	K	amplexicaule L.	210700	Q	maculatum Crantz s.str.
200700	K	bupleuroides C. C. Gmel.	210800	Q	maculatum subsp. obtusiusculum (Tour- let) Hayek
	K	cymosum L. Artgruppe	210900	Q	montanum L.
200200	Q	aurantiacum L.	211050	Q	perforatum L. s.l.
200400	K	bauhinii Schult.	211100	Q	perforatum L. s.str.
200800	K	caespitosum Dumort.	211200	K	perforatum L. subsp. veronense (Schrank) Ces.
201000	K	cymosum L.	211300	K	pulchrum L.
203500	Q	piloselloides Vill.	211500	Q	tetrapterum Fr.
201600	K	glaucum All.	211700	Q	x desetangsii Lamotte
201800	K	humile Jacq.			Hypochaeris
202100	Q	lactucella Wallr.	211900	K	glabra L.
	Q	murorum L. Artgruppe	212000	K	maculata L.
200500	K	bifidum Hornem.	212100	Q	radicata L.
202000	Q	lachenalii C. C. Gmel.	212400	K	Hyssopus officinalis L.
202600	Q	murorum L.			Iberis
	Q	pilosella L. Artgruppe	212500	K*	amara L.
201700	K	hoppeanum Schult.	212900	K*	pinnata L.
203400	Q	pilosella L.	213100	K	sempervirens L.
	Q	umbellatum L. Artgruppe	213200	K	umbellata L.
202200	K	laevigatum Willd.	213300	Q	Ilex aquifolium L.
203800	K	preanthoides Vill.			Impatiens
204000	K	racemosum Willd.	213500	K	balfourii Hook. f.
204300	Q	sabaudum L.	213600	Q	glandulifera Royle
205600	Q	umbellatum L.	213700	Q	noli-tangere L.
205800	K	villosum Jacq.	213800	Q	parviflora DC.
	Q	x zizianum			Inula
206100	K	Hierochloë odorata (L.) P. Beauv.	214000	K	britannica L.
206200	K	Himantoglossum hircinum (L.) Spreng.	214100	Q	conyzae (Griess.) Meikle
		Hippocrepis	214400	K	helenium L.
206300	Q	comosa L.	214500	K	helvetica Weber
206400	K	emerus (L.) Lassen	214600	K	hirta L.
206500	K	Hippophaë rhamnoides L.	214800	Q	salicina L.
206600	K	Hippuris vulgaris L.			Iris
206700	K	Hirschfeldia incana (L.) Lagr.-Foss.	215500	Q	pseudacorus L.
		Holcus			

SISF Nr	Typ	Taxon	SISF Nr	Typ	Taxon
215600	K	sibirica L.			Laserpitium
215900	K	x germanica L.	227700	K	latifolium L.
215400	K	x lutescens Lam.	228000	K	prutenicum L.
216000	K	x sambucina L.	228100	K	siler L.
216200	K	Isatis tinctoria L.	228700	K	Lathraea squamaria L.
216300	K*	Isolepis setacea (L.) R. Br.			Lathyrus
216400	K	Isopyrum thalictroides L.	228900	K*	aphaca L.
217200	K	Jasminum nudiflorum Lindl.	229100	K*	cicera L.
217500	Q	Juglans regia L.	229300	K	heterophyllus L.
		Juncus	229400	K*	hirsutus L.
217600	Q	acutiflorus Hoffm.	229600	Q	latifolius L.
217700	Q	alpinoarticulatus Chaix	229700	Q	linifolius (Reichard) Bässler
218100	Q	articulatus L.	230000	K	niger (L.) Bernh.
218200	Q	bufonius L.	230100	K*	nissolia L.
218300	K*	bulbosus L.	230300	K	palustris L.
218600	Q	compressus Jacq.	230400	Q	pratensis L.
218700	Q	conglomeratus L.	230700	K	sphaericus Retz.
218800	Q	effusus L.	230800	Q	sylvestris L.
218900	K	filiformis L.	230900	K	tuberosus L.
219100	Q	inflexus L.	231195	Q	vernus (L.) Bernh. s.l.
219700	K	stygius L.	231200	Q	vernus (L.) Bernh. s.str.
219800	Q	subnodulosus Schrank	231600	K	Lavandula angustifolia Mill.
220000	Q	tenuis Willd.	231800	K	Leersia oryzoides (L.) Sw.
		Juniperus	232000	K	Legousia speculum-veneris (L.) Chaix
220395	K	communis L. s.l.			Lemna
220400	K	communis L. s.str.	232200	K	gibba L.
220500	K	communis subsp. alpina Celak.	232300	Q	minor L.
221000	K	Kernera saxatilis (L.) Sweet	232410	K	minuta Humb. & al.
900157	K	Kerria japonica (L.) DC.	232500	K	trisolca L.
		Kickxia			Leontodon
221200	K	elatine (L.) Dumort.	232700	Q	autumnalis L.
221300	K	spuria (L.) Dumort.	232900	K	helveticus Mérat
		Knautia	233000	Q	hispidus L. s.l.
221400	Q	arvensis (L.) Coult.	233100	Q	hispidus L. s.str.
221500	Q	dipsacifolia Kreutzer s.str.	233200	K	hispidus subsp. danubialis (Jacq.) Simonk.
		Koeleria	233400	K	hispidus subsp. hyoseroides (Rchb.) Murr
223905	Q	pyramidata aggr.	234200	K	saxatilis Lam.
223700	K	macrantha (Ledeb.) Schult.	234700	K	Leonurus cardiaca L.
223900	Q	pyramidata (Lam.) P. Beauv.			Lepidium
		Laburnum	234900	Q	campestre (L.) R. Br.
224200	K	alpinum (Mill.) Bercht. & J. Presl	235000	K	densiflorum Schrad.
224300	K	anagyroides Medik.	235200	K	graminifolium L.
		Lactuca	235300	K	latifolium L.
224400	K	perennis L.	235400	K	neglectum Thell.
224600	Q	sativa L.	235500	K	perfoliatum L.
224700	Q	serriola L.	235600	K	ruderales L.
225000	K	virosa L.	235700	Q	sativum L.
225100	K	Lagarosiphon major (Ridl.) Moss	235800	Q	virginicum L.
900158	K	Lagurus ovatus L.			Leucanthemum
		Lamium	236905	Q	vulgare aggr. auct. helv.
225500	Q	album L.	236200	K	adustum (W. D. J. Koch) Gremli
225600	K	amplexicaule L.	236400	K	gaudinii Dalla Torre
900210	K	argentatum (Smejkal) Adler et al.	236700	K	praecox (Horvatic) Horvatic
225750	Q	galeobdolon (L.) L. s.l.	236800	Q	vulgare Lam.
225800	K	galeobdolon (L.) L. s.str.	237100	Q	Leucojum vernum L.
226000	Q	galeobdolon subsp. montanum (Pers.) Hayek	237400	Q	Levisticum officinale W. D. J. Koch
226100	K*	hybridum Vill.			Ligustrum
226200	Q	maculatum (L.) L.	900159	K	ovalifolium Hauskn.
226500	Q	purpureum L.	238100	Q	vulgare L.
226800	K*	Lappula squarrosa (Retz.) Dumort.			Lilium
		Lapsana	238195	K	bulbiferum L. s.l.
226900	Q	communis L. s.l.	238300	K	bulbiferum subsp. croceum (Chaix) Baker
227000	Q	communis L. s.str.	238500	Q	martagon L.
227200	Q	Larix decidua Mill.	238700	K	Limosella aquatica L.

SISF Nr	Typ	Taxon	SISF Nr	Typ	Taxon
		Linaria	249400	K	Lycopodiella inundata (L.) Holub
238800	K	alpina (L.) Mill. s.l.			Lycopodium
238900	K	alpina (L.) Mill. s.str.	249700	K	annotinum L.
900043	K	purpurea (L.) Mill.	249900	K	clavatum L.
239800	K	repens (L.) Mill.			Lycopus
239900	K	simplex (Willd.) DC.	250900	Q	europaeus L. s.l.
240300	Q	vulgaris Mill.	251000	Q	europaeus L. s.str.
		Linum	251100	K*	europaeus subsp. mollis (A. Kern.) Murr
240900	K	austriacum L.	900161	K	Lysichiton americanus Hultén & H. St. John
241000	K	bienne Mill.			Lysimachia
241100	Q	catharticum L.	251400	Q	nemorum L.
241500	K	tenuifolium L.	251500	Q	nummularia L.
241700	K	usitatissimum L.	251600	K	punctata L.
241800	K	Liparis loeselii (L.) Rich.	251700	K	thyrsiflora L.
		Listera	251800	Q	vulgaris L.
241900	K	cordata (L.) R. Br.			Lythrum
242000	Q	ovata (L.) R. Br.	251900	K*	hyssopifolia L.
242200	K	Lithospermum officinale L.	252000	K*	portula (L.) D. A. Webb
242400	K*	Littorella uniflora (L.) Asch.	252100	Q	salicaria L.
242560	K	Lobularia maritima (L.) Desv.	252300	K	Mahonia aquifolium (Pursh) Nutt.
		Lolium	252400	Q	Maianthemum bifolium (L.) F. W. Schmidt
242700	Q	multiflorum Lam.	252600	K	Malaxis monophyllos (L.) Sw.
242800	Q	perenne L.			Malus
242900	K*	remotum Schrank	253000	Q	sylvestris aggr.
243000	K	rigidum Gaudin	252800	K	domestica Borkh.
243100	K*	temulentum L.	252900	Q	sylvestris (L.) Mill.
		Lonicera			Malva
243400	Q	alpigena L.	253100	Q	alcea L.
243500	K	caerulea L.	900162	K	mauritiana L.
243600	K	caprifolium L.	253300	Q	moschata L.
243750	K	henryi Hemsl.	253400	Q	neglecta Wallr.
243800	K	japonica Thunb.	900164	K	pusilla Sm.
243900	K	nigra L.	253500	Q	sylvestris L.
243950	K	nitida E. H. Wilson	253800	K*	Marrubium vulgare L.
244000	Q	periclymenum L.	253900	K*	Marsilea quadrifolia L.
244050	K	pileata Oliv.			Matricaria
244100	K	tatarica L.	254000	Q	chamomilla L.
244200	Q	xylosteum L.	254100	Q	discoidea DC.
		Lotus	254500	K	Matteuccia struthiopteris (L.) Tod.
244410	Q	corniculatus aggr.	254800	K	Meconopsis cambrica (L.) Vig.
244300	K	alpinus (DC.) Ramond			Medicago
244400	Q	corniculatus L.	254900	K	arabica (L.) Huds.
244500	K	(corniculatus subsp. hirsutus)	255100	K	falcata L.
245100	K	tenuis Willd.	255300	Q	lupulina L.
244800	K*	maritimus L.	255400	K*	minima (L.) L.
244900	Q	pedunculatus Cav.	255700	K	polymorpha L.
245300	K*	Ludwigia palustris (L.) Elliott	256000	Q	sativa L.
		Lunaria	256100	Q	x varia Martyn
245400	Q	annua L.			Melampyrum
245500	K	rediviva L.	256200	K	arvense L.
245800	K	Lupinus polyphyllus Lindl.	256300	K	cristatum L.
		Luzula	256500	K	pratense L.
246100	Q	campestris (L.) DC.	256600	K	sylvaticum L.
246700	K	luzulina (Vill.) Dalla Torre & Sarnth.			Melica
246900	Q	luzuloides (Lam.) Dandy & Wilmott s.str.	256800	K	ciliata L.
247100	K	multiflora (Ehrh.) Lej.	256900	Q	nutans L.
247300	K	nivea (L.) DC.	257100	K	uniflora Retz.
247500	Q	pilosa (L.) Willd.			Melilotus
248100	K	sudetica (Willd.) Schult.	257200	Q	albus Medik.
248400	Q	sylvatica aggr.	257300	Q	altissimus Thuill.
248300	Q	sylvatica (Huds.) Gaudin	257400	K	indicus (L.) All.
247600	K	sieberi Tausch	257600	Q	officinalis Lam.
249100	K	Lycium chinense Mill.	257800	K	Melissa officinalis L.
249300	K	Lycopersicon esculentum Mill.	257900	Q	Melittis melissophyllum L.

SISF Nr	Typ	Taxon	SISF Nr	Typ	Taxon
		Mentha	268000	Q	Myrrhis odorata (L.) Scop.
258000	Q	aquatica L.			Najas
258100	Q	arvensis L.	268200	K	flexilis (Willd.) Rostk. & W. L. E. Schmidt
258200	Q	longifolia (L.) Huds.	268400	K	marina L.
258300	K	pulegium L.	268500	K*	minor All.
900165	K	requieni Benth.			Narcissus
258500	K	spicata L.	268700	Q	poëticus L.
258600	K	suaveolens Ehrh.	268900	Q	pseudonarcissus L.
258700	K	x piperita L.	269000	K	radiiflorus Salisb.
258800	Q	Menyanthes trifoliata L.	269700	K	Nardus stricta L.
		Mercurialis			Nasturtium
258900	K	annua L.	269800	K	microphyllum (Boenn.) Rchb.
259100	Q	perennis L.	269900	Q	officinale R. Br.
259200	K	Mespilus germanica L.	270100	Q	Neottia nidus-avis (L.) Rich.
259300	K	Meum athamanticum Jacq.			Nepeta
259800	Q	Milium effusum L.	270200	K*	cataria L.
259900	K	Mimulus guttatus DC.	900167	K	racemosa Lam.
		Minuartia			Neslia
261100	K	hybrida (Vill.) Schischk.	270695	K	paniculata (L.) Desv. s.l.
261500	K	rubra (Scop.) McNeill	270700	K*	paniculata (L.) Desv. s.str.
262000	K	verna (L.) Hiern	270900	K	Nicandra physalodes (L.) Gaertn.
262250	K	Miscanthus sinensis Andersson	271100	K	Nicotiana tabacum L.
262300	K	Misopates orontium (L.) Raf.			Nigella
		Moehringia	271300	K*	arvensis L.
262900	K	muscosa L.	271400	K	damascena L.
263000	Q	trinervia (L.) Clairv.			Nigritella
263200	K	Moenchia mantica (L.) Bartl.	271660	K	rhellicani Teppner & E. Klein
		Molinia	271800	K	rubra (Wettst.) K. Richt.
	Q	Molinia sp.	272000	K	Nonea lutea (Desr.) DC.
263300	Q	arundinacea Schrank			Nuphar
263400	Q	caerulea (L.) Moench	272300	Q	lutea (L.) Sm.
263700	K	Moneses uniflora (L.) A. Gray	272400	K	pumila (Timm) DC.
		Monotropa	272500	Q	Nymphaea alba L.
264000	K	hypopitys aggr.	272700	K	Nymphoides peltata (S. G. Gmel.) Kuntze
263800	K	hypophegea Wallr.	272800	K	Ocimum basilicum L.
263900	K	hypopitys L.			Odontites
		Morus	273000	K*	luteus (L.) Clairv.
264800	K	alba L.	273160	K	vernus (Bellardi) Dumort. s.l.
264900	K	nigra L.	273200	K*	vernus (Bellardi) Dumort. s.str.
		Muscari	273300	K	vernus subsp. serotinus Corb.
900166	K	armeniicum Baker			Oenanthe
265200	K	botryoides (L.) Mill.	273600	K	aquatica (L.) Poir.
265300	K	comosum (L.) Mill.	273900	K	lachenalii C. C. Gmel.
	Q	racemosum FloZ-Aggregat			Oenothera
265400	K*	neglectum Guss.	274105	Q	biennis aggr.
265500	Q	racemosum (L.) Mill.	274100	Q	biennis L.
265600	K	Myagrum perfoliatum L.	274300	Q	glazioviana Micheli
265700	Q	Mycelis muralis (L.) Dumort.	900211	K	deflexa Gates
		Myosotis	900212	K	fallax Renner em. Rostanski
265900	Q	arvensis Hill	274700	K	parviflora L.
266200	K*	discolor Pers.	900213	K	perangusta Gates
266600	K	ramosissima Rochel	900214	K	pyncocarpa Atk. & Bartl.
	Q	scorpioides FloZ-Aggregat	275200	K	Omphalodes verna Moench
266700	K	rehsteineri Wartm.			Onobrychis
266800	Q	scorpioides L.	275300	K	arenaria (Kit.) DC.
266000	K	cespitosa Schultz	275400	K	montana DC.
266400	Q	nemorosa Besser	275600	Q	viciifolia Scop.
266900	K*	stricta Roem. & Schult.			Ononis
267100	Q	sylvatica Hoffm.	276600	Q	spinosa L. s.l.
267300	Q	Myosoton aquaticum (L.) Moench	276700	Q	spinosa L. s.str.
267400	K*	Myosurus minimus L.	276800	K	spinosa subsp. austriaca (Beck) Gams
267500	K	Myricaria germanica (L.) Desv.	276300	Q	repens L.
		Myriophyllum	276900	K	Onopordum acanthium L.
267800	Q	spicatum L.	277900	K	Ophioglossum vulgatum L.
267900	K	verticillatum L.			Ophrys

SISF Nr	Typ	Taxon	SISF Nr	Typ	Taxon
277950	K	apifera Huds.	292000	K	somniferum L.
278000	K	(apifera Huds. s.str.)			Parietaria
278100	K	(apifera subsp. botteroni (Chodat) Hegi)	292300	K	judaica L.
278850	K	holosericea (Burm. f.) Greuter s.l.	292400	K	officinalis L.
278900	K	holosericea (Burm. f.) Greuter s.str.	292600	Q	Paris quadrifolia L.
279100	K	insectifera L.	292700	Q	Parnassia palustris L.
279300	K	sphegodes aggr.			Parthenocissus
278300	K	araneola Rchb.	293100	K	inserta (A. Kern.) Fritsch
279200	K	sphegodes Mill.	293200	K	quinquefolia (L.) Planch.
		Orchis	293250	K	tricuspidata (Siebold & Zucc.) Planch.
280000	K	coriophora L.			Pastinaca
280900	Q	mascula (L.) L. s.l.	293295	Q	sativa L. s.l.
280950	Q	mascula (L.) L. s.str.	293300	Q	sativa L. s.str.
281000	K	militaris L.	293500	K	sativa subsp. urens (Godr.) Celak.
281100	K	morio L.	293550	K	Paulownia tomentosa (Thunb.) Steud.
281200	K*	pallens L.			Pedicularis
281300	K	palustris Jacq.	294600	K	palustris L.
281600	K	purpurea Huds.	294700	K	recutita L.
281800	K*	simia Lam.	295300	K*	sylvatica L.
282200	K	ustulata L.	900169	K	Pennisetum alopecuroides (L.) Spreng.
900228	K	ustulata L. s.str.			Petasites
900049	K	ustulata subsp. aestivalis (Kümpel) Küm- pel & Mrkvicka	295700	Q	albus (L.) Gaertn.
282400	Q	Oreopteris limbosperma (All.) Holub	295900	Q	hybridus (L.) P. Gaertn. & al.
		Origanum	296000	K	paradoxus (Retz.) Baumg.
282500	K	majorana L.			Petrorhagia
282600	Q	vulgare L.	296200	K	prolifera (L.) P. W. Ball & Heywood
282700	K*	Orlaya grandiflora (L.) Hoffm.	296300	K	saxifraga (L.) Link
		Ornithogalum	296400	Q	Petroselinum crispum (Mill.) Fuss
283200	K	nutans L.			Peucedanum
283800	Q	umbellatum L.	296900	Q	cervaria (L.) Lapeyr.
283900	K*	Ornithopus perpusillus L.	297100	K	oreoselinum (L.) Moench
		Orobanche	297200	K	ostruthium (L.) W. D. J. Koch
284000	K*	alba Willd.	297300	Q	palustre (L.) Moench
284200	K	alsatica Kirschl. s.l.	297800	Q	Phacelia tanacetifolia Benth.
284100	K*	alsatica Kirschl. s.str.			Phalaris
284150	K	alsatica subsp. libanotidis (Rupr.) Pusch	297900	Q	arundinacea L.
284700	K	caryophyllacea Sm.	298100	Q	canariensis L.
284900	K	elatior Sutton	298400	Q	Phegopteris connectilis (Michx.) Watt
285200	K	hederae Duby	298500	K	Philadelphus coronarius L.
285700	K	lutea Baumg.			Phleum
285900	Q	minor Sm.	299800	K*	paniculatum Huds.
286000	K	picridis F. W. Schultz	299900	K*	phleoides (L.) H. Karst.
286100	K*	purpurea Jacq.	300005	Q	pratense aggr.
286200	K	ramosa L.	299300	K	bertolonii DC.
286400	K	reticulata Wallr.	300000	Q	pratense L.
286600	K	teucris Holandre	900171	K	Phlox subulata L.
286800	Q	Orthilia secunda (L.) House	300300	Q	Phragmites australis (Cav.) Steud.
287000	K	Osmunda regalis L.	300500	K	Phyllitis scolopendrium (L.) Newman
		Oxalis	300600	K	Physalis alkekengi L.
287300	Q	acetosella L.	300650	K	Physocarpus opulifolius (L.) Maxim.
287400	Q	corniculata L.	900174	K	Physostegia virginiana (L.) Benth.
900168	K	debilis Kunth			Phyteuma
287500	K	dillenii Jacq.	300800	K	betonicifolium Vill.
287750	Q	stricta L.	301800	K	orbiculare L.
		Panicum	302400	Q	spicatum L.
290300	Q	capillare L.			Phytolacca
290400	K	dichotomiflorum Michx.	302600	K	americana L.
290600	Q	miliaceum L.	302700	K	esculenta Van Houtte
		Papaver	302800	Q	Picea abies (L.) H. Karst.
290800	K*	argemone L.			Picris
291095	Q	dubium L. s.l.	303000	K	echioides L.
291100	K	dubium L. s.str.	303100	Q	hieracioides L. s.l.
291200	K*	dubium subsp. lecoqii (Lamotte) Syme	303200	Q	hieracioides L. s.str.
291800	Q	rheas L.	900175	K	Pilea muscosa Lindley
					Pimpinella

SISF Nr	Typ	Taxon	SISF Nr	Typ	Taxon
303800	Q	major (L.) Huds.	313700	K	verticillatum (L.) All.
303950	K	peregrina L.			Polygonum
304000	Q	saxifraga L.	314000	Q	amphibium L.
		Pinguicula	314100	K	arenastrum Boreau
304300	K	alpina L.	314200	Q	aviculare L.
304800	Q	vulgaris L.	314400	K	bistorta L.
		Pinus	314900	Q	hydropiper L.
304900	K	cembra L.	314950	Q	lapathifolium L. s.l.
305495	K	mugo Turra s.l.	315000	Q	lapathifolium L. s.str.
305800	K	mugo subsp. uncinata (DC.) Domin	315100	K*	lapathifolium subsp. brittingeri (Opiz) Jáv.
305500	K	mugo Turra s.str.	315300	K	minus Huds.
305900	K	nigra J. F. Arnold	315400	Q	mite Schrank
306000	K	strobilus L.	315500	K	orientale L.
306100	Q	sylvestris L.	315600	Q	persicaria L.
		Plantago	315700	N	polystachyum Meisn.
307000	K	alpina L.	315800	K	viviparum L.
307100	K	arenaria Waldst. & Kit.			Polypodium
307800	Q	lanceolata L.	316100	K	interjectum Shivas
307850	Q	major L. s.l.	316400	Q	vulgare L.
307900	Q	major L. s.str.			Polystichum
308000	K	major subsp. intermedia (Gilib.) Lange	316500	Q	aculeatum (L.) Roth
308100	Q	media L.	316800	K	lonchitis (L.) Roth
		Platanthera	316900	K	setiferum (Forssk.) Woyen.
308400	Q	bifolia (L.) Rich.			Populus
308500	Q	chlorantha (Custer) Rchb.	317100	Q	alba L.
		Platanus	317250	Q	nigra L. s.l.
308800	K	orientalis L.	317300	K	nigra L. s.str.
308600	K	x hispanica Münchh.	317400	Q	nigra subsp. pyramidalis Celak.
308900	K	Pleurospermum austriacum (L.) Hoffm.	317500	Q	tremula L.
		Poa	900215	Q	x canadensis Moench
309000	K	alpina L.	317600	Q	x canescens (Aiton) Sm.
	K	annua FloZ-Aggregat	317650	Q	Portulaca oleracea L.
309200	Q	annua L.			Potamogeton
311100	K	supina Schrad.	318000	K*	acutifolius Link
309500	K	bulbosa L.	318100	K	alpinus Balb.
309600	K	cenisia All.	318200	Q	berchtoldii Fieber
309700	K	chaixii Vill.	318300	K	coloratus Hornem.
309800	Q	compressa L.	318400	K	compressus L.
310100	K	hybrida Gaudin	318500	Q	crispus L.
310500	Q	nemoralis L.	318700	K	filiformis Pers.
310600	Q	palustris L.	318800	K	friesii Rupr.
310900	Q	pratensis aggr.	318900	K	gramineus L.
309100	Q	angustifolia L.	319000	K	helveticus (G. Fisch.) W. Koch
310800	Q	pratensis L.	319100	Q	lucens L.
311000	K	remota Forselles	319200	Q	natans L.
311295	Q	trivialis L. s.l.	319300	K	nodosus Poir.
311300	Q	trivialis L. s.str.	319700	K	pectinatus L.
311900	K	Polemonium caeruleum L.	319800	Q	perfoliatum L.
312000	K*	Polycarpon tetraphyllum (L.) L.	320000	K	polygonifolium Pourr.
		Polycnemum	320200	K	pusillum L.
312100	K*	arvense L.	320400	K	trichoides Cham. & Schtdl.
312200	K*	majus A. Braun	320500	K	x angustifolium Bercht. & J. Presl
		Polygala	320600	K	x nitens Weber
312300	K	alpestris Rchb.			Potentilla
312500	Q	amarella Crantz	320700	K*	alba L.
312700	K	chamaebuxus L.	320900	Q	anserina L.
312800	K	comosa Schkuhr	321100	K	argentea L.
313100	K	serpyllifolia Hosé	321300	K	aurea L.
313195	Q	vulgaris L. s.l.	321600	K	caulescens L.
313200	Q	vulgaris L. s.str.	322000	K	collina Wibel aggr.
313300	K	vulgaris subsp. oxyptera (Rchb.) Schübl. & G. Martens	321900	K	collina Wibel
		Polygonatum	323100	K	leucopolitana P. J. Müll.
313400	Q	multiflorum (L.) All.	322100	K	crantzii (Crantz) Fritsch
313500	Q	odoratum (Mill.) Druce	322400	Q	erecta (L.) Rausch.
			322550	K	fruticosa L.

SISF Nr	Typ	Taxon	SISF Nr	Typ	Taxon
322800	K	heptaphylla L.	334500	K	media Sw.
322900	K	inclinata Vill.	334600	K	minor L.
323000	K	intermedia L.	334700	Q	rotundifolia L.
323200	K	micrantha DC.			Pyrus
323700	K	norvegica L.	335000	K	communis L.
323800	Q	palustris (L.) Scop.	335300	Q	pyrastrer Burgsd.
324400	Q	recta L.			Quercus
324500	Q	reptans L.	335900	Q	petraea Liebl.
324600	K	rupestris L.	336000	K	pubescens Willd.
324700	Q	sterilis (L.) Garcke	336100	Q	robur L.
325000	K	thuringiaca Link	336200	K	rubra L.
	Q	verna L. Artgruppe			Ranunculus
322850	K	incana P. Gaertn. & al.	336500	Q	aconitifolius L.
323400	Q	neumanniana Rchb.	336595	Q	acris L. s.l.
324300	K	pusilla Host	336600	K	acris L. s.str.
325200	Q	Prenanthes purpurea L.	336700	Q	acris subsp. friesianus (Jord.) Syme
		Primula	337300	Q	auricomus L. aggr.
325500	K	acaulis (L.) L.	336800	K	alpestris L.
325700	K	auricula L.	337050	K	aquatilis aggr. sensu K. Lauber & G. Wagner
325950	Q	elatior (L.) L. s.l.	336900	K*	aquatilis L.
326000		elatior (L.) L. s.str.	340000	K	peltatus Schrank
326200	K	farinosa L.	337100	K*	arvensis L.
327195	Q	veris L. s.l.	337700	Q	bulbosus L.
327200	Q	veris L. s.str.	338000	K	circinatus Sibth.
327300	K	veris subsp. columnae (Ten.) Maire & Petitm.	338200	Q	ficaria L.
		Prunella	338400	Q	flammula L.
327900	Q	grandiflora (L.) Scholler	338500	K	fluitans Lam.
328000	K*	laciniata (L.) L.	339300	Q	lanuginosus L.
328100	Q	vulgaris L.	339400	K	lingua L.
		Prunus	339505	K	montanus aggr.
328300	Q	armeniaca L.	339500	K	montanus Willd.
328400	Q	avium L.	339550	K	muricatus L.
328500	K	cerasifera Ehrh.	339605	Q	nemorosus aggr.
328600	K	cerasus L. s.l.	340500	K	polyanthemophyllus W. Koch & H. E. Hess
328700	K	cerasus L. s.str.	341700	K	serpens Schrank
328800	K	cerasus subsp. acida (Dumort) Asch. et Graebn.	342200	Q	tuberosus Lapeyr.
329000	Q	domestica L.	340300	K	platanifolius L.
329300	Q	insititia L.	340900	Q	repens L.
329400	K	laurocerasus L.	341000	K	reptans L.
329500	K	mahaleb L.	341200	K*	sardous Crantz
329600	Q	padus L. s.l.	341500	K	sceleratus L.
329700	Q	padus L. s.str.	341895	Q	trichophyllus Chaix s.l.
329900	K	padus subsp. petraea (Tausch) Domin	341900	Q	trichophyllus Chaix s.str.
330000	Q	persica (L.) Batsch			Raphanus
330200	K	serotina Ehrh.	342500	Q	raphanistrum L.
330300	Q	spinosa L.	342600	Q	sativus L.
330360	K	Pseudolysimachion spicatum (L.) Opiz			Rapistrum
330400	K	Pseudorchis albida (L.) Á. & D. Löve	900182	K	hispanicum (L.) Crantz
900178	K	Pseudosasa japonica (Siebold & Zucc.) Makino	342700	K	perenne (L.) All.
			342800	K*	rugosum (L.) All.
330600	K	Pseudotsuga menziesii (Mirb.) Franco			Reseda
330800	Q	Pteridium aquilinum (L.) Kuhn	342900	Q	lutea L.
900179	K	Pterocarya fraxinifolia (Poir.) Spach	343000	K	luteola L.
331100	K	Puccinellia distans (Jacq.) Parl.			Reynoutria
331160	K	Pueraria lobata (Willd.) Ohwi	343200	N	japonica Houtt.
331200	Q	Pulicaria dysenterica (L.) Bernh.	343250	N	sachalinensis (F. Schmidt) Nakai
		Pulmonaria	900183	N	x bohemica Chrtek & Chrtková
332800	Q	obscura Dumort.			Rhamnus
332900	K	officinalis L.	343500	Q	cathartica L.
334200	K	Pulsatilla vulgaris Mill.	343700	K*	saxatilis Jacq.
334350	K	Pyracantha coccinea M. Roem.			Rhinanthus
		Pyrola	344100	Q	alectorolophus (Scop.) Pollich
334400	K	chlorantha Sw.	344200	K	angustifolius C. C. Gmel.

SISF Nr	Typ	Taxon	SISF Nr	Typ	Taxon
344700	K	glacialis Personnat			Rumex
344800	Q	minor L.	358900	Q	acetosa L.
		Rhododendron	359105	Q	acetosella aggr.
345300	K	ferrugineum L.	359100	Q	acetosella L. s.str.
345400	K	hirsutum L.	359200	K	acetosella subsp. pyrenaicus
345600	N	Rhus typhina L.	361000	K	(tenuifolius (Wallr.) A. Löve)
		Rhynchospora	359300	K	alpestris Jacq.
345800	K	alba (L.) Vahl	359400	K	alpinus L.
345900	K	fusca (L.) W. T. Aiton	359800	Q	conglomeratus Murray
		Ribes	359900	Q	crispus L.
346000	K	alpinum L.	360000	K	hydrolapathum Huds.
346100	K	nigrum L.	360400	Q	obtusifolius L.
346200	K	petraeum Wulfen	360500	K	palustris Sm.
346300	K	rubrum L.	360600	K	patientia L.
346400	Q	uva-crispa L.	360700	K*	pulcher L.
346500	Q	Robinia pseudoacacia L.	360800	Q	sanguineus L.
900186	K	Rodgersia podophylla Gray	360900	K	scutatus L.
		Rorippa	361100	K	thyrsiflorus Fingerh.
346600	K	amphibia (L.) Besser	361300	K	Ruta graveolens L.
346800	K	islandica (Gunnerus) Borbás			Sagina
346900	Q	palustris (L.) Besser	361400	K	apetala Ard. s.l.
347200	Q	sylvestris (L.) Besser	361500	K	apetala Ard. s.str.
		Rosa	361600	K	apetala subsp. erecta F. Herm.
347600	Q	arvensis Huds.	362100	K*	nodosa (L.) Fenzl
347400	K	abietina H. Christ	362200	Q	procumbens L.
347800	Q	canina L.	362300	K	saginoides (L.) H. Karst.
348300	K	corymbifera Borkh.	362400	K	subulata (Sw.) C. Presl
347700	K*	caesia aggr.			Sagittaria
347650	K	caesia Sm.	362500	K	latifolia Willd.
349800	K	rhaetica Greml	362700	K*	sagittifolia L.
350500	K	subcollina (H. Christ) R. Keller			Salix
350700	K	uriensis (H. Christ) Puget	362800	Q	alba L.
348600	K*	gallica L.	363100	Q	appendiculata Vill.
348700	K	glauca Pourr.	363200	Q	aurita L.
348800	K*	jundzillii Besser	363300	K	babylonica L.
348900	K	majalis Herrm.	363600	K	caesia Vill.
349250	K	multiflora Thunb.	363700	Q	caprea L.
349500	Q	pendulina L.	363800	Q	cinerea L.
900327	K	pseudoscabriuscula (R. Keller) A. W. Hill	363900	K	daphnoides Vill.
	K	rubiginosa L. Artgruppe	364000	Q	elaeagnos Scop.
347500	K*	agrestis Savi	364300	K	fragilis L.
348500	K*	elliptica Tausch	364600	K	hastata L.
349000	K*	micrantha Sm.	365000	Q	myrsinifolia Salisb.
349900	K	rubiginosa L.	365500	K	pentandra L.
350050	K	rugosa Thunb.	365800	Q	purpurea L. s.l.
350200	K	spinossissima L.	365850	Q	purpurea L. s.str.
350550	K	tomentella Léman	366050	Q	repens L. aggr.
	K	tomentosa Sm. Artgruppe	363150	K	arenaria L.
350600	K	tomentosa Sm.	366000	Q	repens L.
350800	K*	villosa L.	366200	K	retusa L.
351000	K	vosagiaca N.H.F.Desp. aggr.	366400	Q	triandra L.
348350	K	dumalis Bechst.	366500	Q	viminalis L.
350400	K	subcanina (H. Christ) R. Keller	366600	K	waldsteiniana Willd.
351100	K	Rosmarinus officinalis L.	367100	K	Salsola ruthenica Iljin
		Rubus			Salvia
900065	Q	armeniacus Focke	367200	K	aethiopsis L.
352200	Q	caesius L.	367300	Q	glutinosa L.
900382	Q	corylifolius aggr.	367500	Q	officinalis L.
353110	Q	fruticosus L. aggr. auct. helv.	367600	Q	pratensis L.
354400	Q	idaeus L.	367700	K	sclarea L.
354900	Q	laciniatus Willd.	367800	K	sylvestris L.
357400	Q	saxatilis L.	368000	K	verticillata L.
		Rudbeckia			Sambucus
358700	K	hirta L.	368200	Q	ebulus L.
358800	K	laciniata L.	368300	Q	nigra L.

SISF Nr	Typ	Taxon	SISF Nr	Typ	Taxon
368400	Q	racemosa L. Sanguisorba	382600	Q	galericulata L.
368650	Q	minor Scop. s.l.	382900	Q	Secale cereale L.
368800	K	minor subsp. polygama (Waldst. & Kit.) Cout.	383000	K	Securigera varia (L.) Lassen Sedum
368700	Q	minor Scop. s.str.	383100	K	acre L.
369000	K	officinalis L.	383200	Q	album L.
369100	Q	Sanicula europaea L. Saponaria	383700	K	atratum L.
369400	K	ocymoides L.	383800	K	cepaea L.
369500	Q	officinalis L.	383900	K	dasyphyllum L.
369600	K	Sarracenia purpurea L. Satureja	384300	Q	hispanicum L.
370300	K	hortensis L.	900188	K	hybridum L.
370500	K	montana L. Saxifraga	385100	K*	rubens L.
371600	K	aizoides L.	385210	K	rupestre aggr. sensu K. Lauber & G. Wagner
372500	K	caesia L.	385200	K	rupestre L.
372800	K	cuneifolia L.	385695	Q	telephium L. s.l.
373400	K*	granulata L.	385700	K	telephium L. s.str.
374400	K	mutata L.	385800	K	telephium subsp. fabaria Kirschl.
374600	K	paniculata Mill.	385900	K	telephium subsp. maximum (L.) Kirschl.
375400	K	rotundifolia L.	385300	K	sarmentosum Bunge
375900	K	stolonifera Meerb.	385500	Q	sexangulare L.
376000	Q	tridactylites L. Scabiosa	385600	Q	spurium M. Bieb.
376500	Q	columbaria L. s.l.	386000	K*	villosum L.
376600	Q	columbaria L. s.str.			Selaginella
377100	K	lucida Vill.	386200	K	helvetica (L.) Link
377200	K	ochroleuca L.	386300	K	selaginoides (L.) Schrank & Mart.
377900	K*	Scandix pecten-veneris L.	386400	Q	Selinum carvifolia (L.) L.
378000	K	Scheuchzeria palustris L. Schoenoplectus			Sempervivum
378200	Q	lacustris (L.) Palla	387100	K	tectorum L. s.l.
378300	K	mucronatus (L.) Palla	387200	K	tectorum L. s.str.
378700	K	tabernaemontani (C. C. Gmel.) Palla	387300	K	tectorum L. subsp. alpinum (Griseb. et Schenk) Wettst.
378800	K	triqueter (L.) Palla			Senecio
378900	K	x carinatus (Sm.) Palla Schoenus	900189	K	aconitifolius Miqu.
379000	Q	ferrugineus L.	387600	K	alpinus (L.) Scop.
379100	Q	nigricans L. Scilla	387700	Q	aquaticus Hill
379300	K	bifolia L.	388300	K	erraticus Bertol.
900216	K	sardensis (Whittall) Speta	388400	Q	erucifolius L.
379550	K	siberica Haw. Scirpus	388900	K	hercynicus Herborg
900187	K	atrovirens Willd.	389000	K	inaequidens DC.
379700	Q	sylvaticus L. Scleranthus	389600	Q	jacobaea L.
379795	K	annuus L. s.l.	389800	Q	ovatus (P. Gaertn. & al.) Willd.
379800	K*	annuus L. s.str.	389900	Q	paludosus L.
379900	K*	annuus subsp. polycarpus (L.) Bonnier & Layens	390000	K	rupestris Waldst. & Kit.
380000	K*	annuus subsp. verticillatus (Tausch) Ar- cang.	390200	K	sylvaticus L.
380200	K*	perennis L.	390350	K	vernalis Waldst. & Kit.
380500	K	Sclerochloa dura (L.) P. Beauv.	390400	K	viscosus L.
381200	K*	Scorzoneria humilis L. Scrophularia	390500	Q	vulgaris L.
381900	K	canina L.			Serratula
382100	Q	nodosa L.	390950	Q	tinctoria L. s.l.
382200	Q	umbrosa Dumort.	391000	Q	tinctoria L. s.str.
382300	K	vernalis L. Scutellaria			Seseli
382500	K	altissima L.	391250	K	annuum L. s.l.
			391300	K	annuum L. s.str.
			391700	K	libanotis (L.) W. D. J. Koch
			392200	Q	Sesleria caerulea (L.) Ard.
					Setaria
			393100	Q	italica (L.) P. Beauv.
			393200	Q	pumila (Poir.) Roem. & Schult.
			393300	Q	verticillata (L.) P. Beauv.
			393400	K	verticilliformis Dumort.
			393500	Q	viridis (L.) P. Beauv.
			393600	Q	Sherardia arvensis L.
			393900	K	Sideritis montana L.

SISF Nr	Typ	Taxon	SISF Nr	Typ	Taxon
394200	Q	Silaum silaus (L.) Schinz & Thell.			Richt.
		Silene	403800	K	natans L.
394500	K	armeria L.	404300	K*	Spergula arvensis L.
394600	K	conica L.	404700	K	Spergularia rubra (L.) J. & C. Presl
394700	K	coronaria (L.) Clairv.			Spiraea
394800	K	dichotoma Ehrh.	404950	K	chamaedryfolia L.
394900	Q	dioica (L.) Clairv.	404970	K	salicifolia L.
395200	Q	flos-cuculi (L.) Clairv.			Spiranthes
395400	K	gallica L.	405000	K	aestivalis (Poir.) Rich.
396000	K*	noctiflora L.	405100	K*	spiralis (L.) Chevall.
396050	Q	nutans L. s.l.	405200	K	Spirodela polyrhiza (L.) Schleid.
396100	Q	nutans L. s.str.			Stachys
396400	Q	pratensis (Rafn) Godr.	405400	Q	alpina L.
397295	Q	vulgaris (Moench) Garcke s.l.	405500	K*	annua (L.) L.
397300	Q	vulgaris (Moench) Garcke s.str.	405600	K*	arvensis (L.) L.
397400	K	vulgaris subsp. glareosa (Jord.) Marsden-Jones & Turrill	405700	K	byzantina K. Koch
397800	K	Silybum marianum (L.) Gaertn.	405800	Q	germanica L.
		Sinapis	406000	Q	officinalis (L.) Trevis. s.l.
397900	Q	alba L.	406400	Q	palustris L.
398000	Q	arvensis L.	406595	Q	recta L. s.l.
		Sisymbrium	406600	Q	recta L. s.str.
398200	K	altissimum L.	406800	Q	sylvatica L.
398300	K	austriacum Jacq.	407000	K	Staphylea pinnata L.
398400	K	irio L.			Stellaria
398600	Q	officinale (L.) Scop.	407100	K	alsine Grimm
398700	K	orientale L.	407500	Q	graminea L.
398800	K	strictissimum L.	407600	K*	holostea L.
399200	K	Sisyrinchium montanum Greene	407805	Q	media aggr.
		Solanum	407800	Q	media (L.) Vill.
399500	Q	dulcamara L.	408000	K	neglecta Weihe
400100	Q	nigrum L.	408300	K	pallida (Dumort.) Crép.
900222	K	nigrum subsp. schultesii (Opiz) Wessely	408095	Q	nemorum L. s.l.
400400	Q	tuberosum L.	408100	Q	nemorum L. s.str.
400600	K	Soldanella alpina L.	409700	K	Stratiotes aloides L.
900194	K	Soleirolia soleirolii (Req.) Dandy	409800	K	Streptopus amplexifolius (L.) DC.
		Solidago	410100	Q	Succisa pratensis Moench
401000	Q	canadensis L.	410300	K	Swertia perennis L.
401100	Q	gigantea Aiton			Symphoricarpos
401200	K	graminifolia (L.) Salisb.	410400	K	albus (L.) S. F. Blake
401395	Q	virgaurea L. s.l.	900198	K	orbicularis Moench
401400	Q	virgaurea L. s.str.			Symphytum
401500	K	virgaurea subsp. minuta (L.) Arcang.	410700	K	bulbosum K. F. Schimp.
		Sonchus	900199	K	grandiflorum DC.
401595	Q	arvensis L. s.l.	410800	Q	officinale L.
401600	Q	arvensis L. s.str.	410900	K	tuberosum L.
401700	K	arvensis subsp. uliginosus (M. Bieb.) Nyman	411100	K	Syringa vulgaris L.
401800	Q	asper Hill	411200	Q	Tamus communis L.
401900	Q	oleraceus L.			Tanacetum
		Sorbus	411500	Q	corymbosum (L.) Sch. Bip.
402200	Q	aria (L.) Crantz	411600	K	macrophyllum (Waldst. & Kit.) Sch. Bip.
402300	Q	aucuparia L.	411700	Q	parthenium (L.) Sch. Bip.
402500	K	domestica L.	411800	Q	vulgare L.
402600	K	mougeotii Soy.-Will. & Godr.			Taraxacum
402700	Q	tormalis (L.) Crantz	412000	K	alpinum (Hoppe) Hegetschw.
402750	K	x latifolia (Lam.) Pers.	412900	K	laevigatum (Willd.) DC.
402800	K	Sorghum halepense (L.) Pers.	413100	Q	officinale Weber
		Sparganium	413300	Q	palustre (Lyons) Symons
403000	K	emersum Rehmann	413500	K	schroeterianum Hand.-Mazz.
403100	Q	erectum L. s.l.	413600	Q	Taxus baccata L.
403200	Q	erectum L. s.str.	413800	K	Telekia speciosa (Schreb.) Baumg.
403300	K	erectum subsp. microcarpum (Neuman) Domin	900200	K	Tellima grandiflora (Pursh) Dougl.
403400	K	erectum subsp. neglectum (Beeby) K.	414200	K	Tephrosia helenitis (L.) B. Nord.
					Teucrium
			414900	K*	botrys L.
			415000	Q	chamaedrys L.

SISF Nr	Typ	Taxon	SISF Nr	Typ	Taxon
415100	K	montanum L.	425600	Q	hybridum L. s.str.
415200	K*	scordium L.	425700	K	hybridum subsp. elegans (Savi) Asch. & Graebn.
415300	Q	scorodonia L.			
		Thalictrum	425750	Q	incarnatum L. s.l.
415500	Q	aquilegifolium L.	425800	Q	incarnatum L. s.str.
415800	K	flavum L.	426000	Q	medium L.
416100	K	lucidum L.	426300	K	montanum L.
416195	K	minus L. s.l.	426600	K	ochroleucon Huds.
416200	K	minus L. s.str.	426800	K	patens Schreb.
416300	K	minus subsp. saxatile Ces.	426895	Q	pratense L. s.l.
416600	K*	simplex L. aggr.	426900	Q	pratense L. s.str.
415600	K	bauhinii Crantz	427100	Q	repens L. s.l.
416000	K	galioides Pers.	427200	Q	repens L. s.str.
417000	K	Thelypteris palustris Schott	427400	Q	resupinatum L.
		Thesium	427500	K	rubens L.
417200	K	alpinum L.	427700	K*	scabrum L.
417300	K	bavarum Schrank	427900	K*	striatum L.
417600	K*	linophyllum L.	428100	K	thalii Vill.
417700	K	pyrenaicum Pourr.	428200	K	Triglochin palustris L.
417800	K*	rostratum Mert. & W. D. J. Koch	428300	K	Trigonella caerulea (L.) Ser.
		Thlaspi	428700	Q	Tripleurospermum inodorum (L.) Sch. Bip.
417900	K	alliaceum L.	429400	Q	Trisetum flavescens (L.) P. Beauv.
418200	Q	arvense L.			Triticum
418700	K	montanum L.	429600	Q	aestivum L.
418800	Q	perfoliatum L.	429700	Q	compactum Host
419600	K	Thuja occidentalis L.	429900	Q	durum Desf.
419800	K*	Thymelaea passerina (L.) Coss. & Germ.	430200	Q	spelta L.
		Thymus	430300	Q	turgidum L.
421205	Q	serpyllum L. aggr. sensu K. Lauber & G. Wagner	430600	K	Trollius europaeus L.
420100	K	froelichianus Opiz			Tulipa
420700	K	polytrichus Borbas	431380	K	sylvestris L. s.l.
420800	K	praecox Opiz s.str.	431400	K	sylvestris L. s.str.
421000	Q	pulegioides L. s.str.	431800	K*	Turgenia latifolia (L.) Hoffm.
421300	K	vulgaris L.	431900	K	Turritis glabra L.
		Tilia	432000	Q	Tussilago farfara L.
421400	Q	cordata Mill.			Typha
421500	Q	platyphyllos Scop.	432100	K	angustifolia L.
421600	Q	Tofieldia calyculata (L.) Wahlenb.	432200	Q	latifolia L.
		Torilis	432250	K	laxmanii Lepech.
422000	K*	arvensis (Huds.) Link	432300	K	minima Hoppe
422100	Q	japonica (Houtt.) DC.	432400	K	shuttleworthii W. D. J. Koch & Sond.
422300	K*	nodosa (L.) Gaertn.	432600	K	Ulex europaeus L.
422400	K	Tozzia alpina L.			Ulmus
900201	K	Trachystemon orientalis (L.) D. Don	432800	Q	glabra Huds.
		Tragopogon	432900	K	laevis Pall.
422600	K	dubius Scop.	433000	K	minor Mill.
422950	Q	pratensis L. s.l.			Urtica
423000	K*	pratensis L. s.str.	433400	Q	dioica L.
423200	K*	pratensis subsp. minor (Mill.) Hartm.	433500	K	urens L.
423300	Q	pratensis subsp. orientalis (L.) Celak.			Utricularia
423600	K	Traunsteinera globosa (L.) Rchb.	433600	K	australis R. Br.
		Trichophorum	433700	K*	bremii Heer
423800	K	alpinum (L.) Pers.	433800	K	intermedia Hayne
423900	K	cespitosum (L.) Hartm.	433900	K	minor L.
		Trifolium	434100	K	ochroleuca R. W. Hartm.
424300	Q	alexandrinum L.	900340	K	stygia G. Thor
424400	K	alpestre L.	434200	K	vulgaris L.
424700	K	arvense L.	434300	K*	Vaccaria hispanica (Mill.) Rauschert
424800	K	aureum Pollich			Vaccinium
424900	K	badium Schreb.	434700	K	microcarpum (Rupr.) Schmalh.
425000	Q	campestre Schreb.	434800	Q	myrtillus L.
425100	Q	dubium Sibth.	434900	K	oxycoccus L.
425400	K	fragiferum L.	435000	K	uliginosum L.
425595	Q	hybridum L. s.l.	435300	K	vitis-idaea L.
					Valeriana

SISF Nr	Typ	Taxon	SISF Nr	Typ	Taxon
435600	Q	dioica L.	444100	Q	urticifolia Jacq.
435700	K	montana L.			Viburnum
435900	Q	officinalis aggr.	444300	Q	lantana L.
435800	Q	officinalis L.	444400	Q	opulus L.
436000	K	pratensis Dierb.	444450	K	rhytidophyllum Hemsl.
436200	K	repens Host			Vicia
437000	K	walrothii Kreyer	444995	Q	cracca L. s.l.
436700	K	tripteris L.	445000	Q	cracca L. s.str.
		Valerianella	445100	K	cracca subsp. incana (Gouan) Rouy
437100	Q	carinata Loisel.	445200	K	cracca subsp. tenuifolia (Roth) Bonnier & Layens
437300	K*	dentata (L.) Pollich	445400	Q	dumetorum L.
437400	K*	eriocarpa Desv.	445500	K	ervilia (L.) Willd.
437500	Q	locusta (L.) Laterr.	445600	K	faba L.
437600	K*	rimosa Bastard	445800	Q	hirsuta (L.) Gray
		Veratrum	445900	K	hybrida L.
437800	K	album L. s.l.	446200	K*	lutea L.
437900	K	album L. s.str.	446600	K	pannonica Crantz
438000	K	album subsp. lobelianum (Bernh.) Arcang.	446700	K	parviflora Cav.
		Verbascum	446995	Q	sativa L. s.l.
438400	K	blattaria L.	447000	Q	sativa L. s.str.
438800	K	densiflorum Bertol.	447100	K	sativa subsp. cordata (Hoppe) Batt.
439000	Q	lychnitis L.	447200	Q	sativa subsp. nigra (L.) Ehrh.
439100	Q	nigrum L.	447400	Q	sepium L.
439200	K	phlomoides L.	447700	Q	sylvatica L.
439500	K	pulverulentum Vill.	448000	Q	tetrasperma (L.) Schreb.
900202	K	speciosum Schrader	448050	K	villosa Roth s.l.
439650	Q	thapsus L. s.l.	448100	K	villosa Roth s.str.
439700	Q	thapsus L. s.str.	448200	K	villosa subsp. varia (Host) Corb.
439850	K	thapsus subsp. montanum (Schrad.) Bonnier & Layens			Vinca
		Verbena	448300	K	major L.
900203	K	bonariensis L.	448400	Q	minor L.
440000	Q	officinalis L.	448500	Q	Vincetoxicum hirundinaria Medik.
		Veronica			Viola
440100	K*	acinifolia L.	448700	K	alba Besser s.l.
440200	Q	agrestis L.	448800	K	alba Besser s.str.
440500	Q	anagallis-aquatica L.	448900	K	alba subsp. scotophylla (Jord.) Nyman
440600	K*	anagalloides Guss.	449100	K	biflora L.
440700	K	aphylla L.	449250	K	canina s.l. auct. helv.
440800	Q	arvensis L.	449300	K	canina L. s.str.
441000	Q	beccabunga L.	449400	K	canina subsp. montana (L.) Hartm.
441300	K*	catenata Pennell	449800	K	collina Besser
441400	Q	chamaedrys L.	450200	K	elatior Fr.
441600	Q	filiformis Sm.	450300	Q	hirta L.
441700	K	fruticans Jacq.	450600	Q	mirabilis L.
441800	K	fruticulosa L.	451000	Q	odorata L.
441900	Q	hederifolia L. s.l.	451100	K	palustris L.
442100	K	hederifolia subsp. lucorum (Klett & Richt.) Hartl	451200	K	persicifolia Schreb.
442000	Q	hederifolia L. s.str.	451400	K	pumila Chaix
442300	Q	montana L.		Q	reichenbachiana FloZ-Aggregat
442400	Q	officinalis L.	451600	Q	reichenbachiana Boreau
442600	K	peregrina L.	451700	Q	riviniana Rchb.
442700	Q	persica Poir.	451800	K	rupestris F. W. Schmidt
442800	Q	polita Fr.	452510	Q	tricolor aggr.
442900	K*	praecox All.	449000	Q	arvensis Murray
442995	K	prostrata L. s.l.	452500	Q	tricolor L.
443100	K*	prostrata subsp. scheereri J.-P. Brandt			Viscum
443300	K	scutellata L.	452600	Q	album L. s.l.
443395	Q	serpyllifolia L. s.l.	452800	Q	album subsp. abietis (Wiesb.) Abrom.
443400	Q	serpyllifolia L. s.str.	452700	Q	album L. s.str.
443500	K	serpyllifolia subsp. humifusa (Dicks.) Syme			Vitis
443900	K	teucrium L.	453400	K	labrusca L.
444000	K*	triphyllos L.	453600	Q	vinifera L.
					Vulpia
			453700	K	bromoides (L.) Gray

SISF Nr	Typ	Taxon	SISF Nr	Typ	Taxon
453800	K	ciliata Dumort.			
453900	K	myuros (L.) C. C. Gmel.			
900205	K	Waldsteinia geoides Willd.			
454200	K	Willemetia stipitata (Jacq.) Dalla Torre Xanthium			
455100	K	spinosum L.			
455200	K	strumarium L.			
455700	K	Zannichellia palustris L.			
455800	Q	Zea mays L.			